



Ladders and scaffold systems



Ice-free scaffold system



Important notification in accordance with §1 par. 2 StVO!
According to the road traffic regulations all vehicle drivers are obliged to clean their vehicles from roof loads like e. g. ice, snow and limbs before departure all-season.



KRAUSE Ice-free scaffold system

All vehicle drivers are responsible for a roadworthy condition of their vehicles. Each entrepreneur is obliged to instruct its drivers.

According to paragraph § 1 of the road traffic regulations (2 StVO) no traffic participant may be endangered or jeopardized. In case that a vehicle loses for example snow or ice pieces during the journey, an offence has been committed.

KRAUSE-tipp:
In any case do not start without previous control. Dangerous „roof loads“ like e. g. ice, snow, limbs and water must be removed.



Applicable all-season

Remove snow and ice

For maintenance and cleaning works



Image shows Art.-No. 970077, 970152 and 970176

For traffic safety on the roads!

Accessories

1 Rail extension set


- For the complete 1st level use
- + Ladder
- + Side rail
- + Rail posts (not illustrated)



Rail extension set - platform sizes -	
6 m: Art.-No. 970121	9 m: Art.-No. 970138
12 m: Art.-No. 970145	15 m: Art.-No. 970152

2 Ice shovel

- + Length approx. 2.40m, width approx. 0.60 m
- + Extra long shaft
- + Flexible shaft holder can be adjusted to the desired position by tightening the nut
- + Push - pull option
- + Smashing of ice sheets due to hard PVC material
- + One side made with firm aluminium, one side made with solid rubber bar



Ice shovel - Art.-No. 970091

3 Safety barrier set with warning sign

Against unauthorised access



Safety barrier set with warning sign - Art.-No. 970176



Safety under any weather conditions

Maintenance and cleaning works are extremely safe and comfortable due to three-part side protection and perforated steel platforms in all weathers.



3 meter high platform made of scaffold system parts

Optimal access to any truck due to 3 m standing height. Total length may be altered individually with 3 m field width. Due to height adjustable foot plates the system can also be used on uneven ground.



Economical and flexible application throughout the year

With 2 working levels (1st level can be safely used with accessories „rail extension set“ **1**) the scaffold may be used all-season for e.g. for truck maintenance or cleaning works. It may be used free standing (incl. outriggers) outdoors or fixed to a wall.



Non-slip, wide and comfortable stair access

The driver comes up to the working platform fastly and safely in order to remove the roof by snow and ice. The safety barrier set prevents unauthorised access to the system. **3**





Further examples for accesses to utility vehicles



Are you interested?

- We are interested in a visit of a field worker
- Please send a brochure about special solutions
- Please send us an offer for ice-free scaffold in the following desired length: _____ (3 m distances)
- We would like to order the following:
- Please register us with the database
- Please send a KRAUSE Catalog

Ice-free scaffold system

Platform dimension:

- 6 m Art.-No. 970046
- 9 m Art.-No. 970053
- 12 m Art.-No. 970060
- 15 m Art.-No. 970077

1 Rail extension set:

Platform dimension:

- 6 m Art.-No. 970121
- 9 m Art.-No. 970138
- 12 m Art.-No. 970145
- 15 m Art.-No. 970152

2 Ice shovel roof rake

Art.-No. 970091

3 Safety barrier set with warning sign

Art.-No. 970176

Name: _____

Address: _____

Contact person: _____

Telephone: _____

Fax: _____

E-Mail: _____

Web: WWW. _____

Stamp, Date and signature



Please visit our Website: krause-systems.com



KRAUSE-Werk GmbH & Co. KG
 Am Kreuzweg 3
 D-36304 Alsfeld
 Phone: +49 (0) 66 31 / 7 95-0
 Fax: +49 (0) 66 31 / 7 95-139
 E-Mail: info@krause-systems.de



KRAUSE-Systems AG
 Chrümble 9
 CH-5623 Boswil
 Phone: +41 (0)56 666 90 50
 Fax: +41 (0)56 666 90 51
 E-Mail: info@krause-systems.ch



KRAUSE Kft.
 H-2030 Érd,
 Tolmács u. 5-7.
 Phone: +36 (06) 23 / 521 130
 Fax: +36 (06) 23 / 365 109
 E-Mail: info@krause-systems.hu



KRAUSE Sp. z o. o.
 ul. Stalowa 10
 PL- 58-100 Świdnica
 Phone: +48 (0) 74 / 851-88-00
 Fax: +48 (0) 74 / 851-88-18
 E-Mail: info@krause-systems.pl



ООО КРАУЗЕ-СИСТЕМС
 RU-127473 Москва
 2-й Самотёчный переулок, д. 1
 тел.: +7 (495) 640 46 56
 факс: +7 (495) 640 46 56
 E-Mail: info@krause-systems.ru



ТОО „КРАУЗЕ-СИСТЕМС“
 KZ-010000, г. Астана
 ул. Брусиловского 17/3
 тел.: +7 (7172) 57 67 98
 факс: +7 (7172) 56 97 83
 E-Mail: info@krause-systems.com.kz