

STABILO® Professional

Double-sided step ladder with wood covered platform

A practical dual-function aluminium standing step ladder for professional use or use as a trestle

- + 660 mm wide for a maximum of safety
- + Reinforced corners for a maximum of stability
- + Removable protective wood cover
- + Screwed hinge connections and strap links with metal clips
- + Anti-slip foot caps (Safety Cap)
- + High-strength beaded step/side rail connections
- + The working platform can safely be reached by ascending the steps

i Used with 2 TeleBoards (page 80), this step ladder can easily be turned into a large working platform with a size of approx. 600 x 3500 mm



Number of steps				2 x 4
1		A up to approx.	in m	2.45
		B approx.	in m	0.45
2		C approx.	in m	1.00
		D approx.	in m	0.95
3		A up to approx.	in m	2.95
		B approx.	in m	0.95
		C approx.	in m	1.00
		E approx.	in m	4.30
Product weight approx.			in kg	9.0
		Width (B) approx.	in m	0.79
		Depth (T) approx.	in m	0.18
		Length (L) approx.	in m	1.05
Article No.				123862

Accessories:

Conductive foot end plugs





Pay attention to this label!

All products marked with this label are already approved after production and will facilitate documentation work.



Conductive foot plugs (pair)

- + Resistance < 106 Ω/m
- + Conforms to DIN EN 13463-1

Side rail dimensions	Article No.
64 x 25	212597
77 x 25	212603
97 x 25	212610



Conductive foot caps for stabilisers

- + Resistance < 106 Ω/m
- + Conforms to DIN EN 13463-1

Side rail dimensions	Article No.
64 x 25	212627



Combi-Safety accessories (Aluminium)

Step / Tray


- + Suitable for ladders with rungs for more safety and comfort
- + Usable as a tray for all kind of items when working on rung ladders
- + Can hold up to 150 kg
- + TÜV-approved



Article No.
122063

Ladder spikes (Pair)

- + According to the German Statutory Accident Insurance Body ladders used on natural soft ground have to be equipped with spikes
- + Also usable with ladders with stabilisers
- + Suitable for side rails with a width of 64 x 25 mm to 97 x 25 mm
- + TÜV-approved



Article No.
121400


Side rail extensions

- + To compensate height differences such as stairs, curbs etc.
- + Infinitely adjustable up to max. 600 mm
- + Suitable for side rails with a width of 64 x 25 mm to 97 x 25 mm
- + TÜV-approved



Spacer device

- + Usable in areas with difficult access e.g. ledges, overhanging roofs
- + Telescopic supports, extendable up to 600 mm
- + Suitable for side rails with a width of 64 x 25 mm to 97 x 25 mm
- + TÜV-approved




Article No.
122292

Article No.
122018

Stabiliser

- + To compensate height differences up to 17 cm on stairs/ledges etc.
- + Suitable for side rails with a width of 64 x 25 mm to 97 x 25 mm
- + TÜV-approved



Cross Rail levellers

- + To compensate height differences when using stabilisers on stairs, ledges or uneven ground and for a maximum of stability (extension range up to 230 mm)
- + Suitable for all ladders with stabilisers
- + TÜV-approved



Article No.
121417

Weight kg
1.3

Article No.
122285

MultiBoard

- + To be used in combination with multi-purpose hinged ladders to create a working platform or a placement area
- + Anti-slip and waterproof working platform suitable for a max. load of 150 kg



Article No.
122261

Wall Holder Set

- + For safe and space-saving storage of ladders with rungs
- + Lockable (Lock not included)
- + Internal dimensions: 270 x 150 mm



Article No.
122469