


# STABILO®

Professional

## Professional step

The aluminium professional step is suitable for a range of different uses and has a large platform.

- + Large platform measures 550 x 350 mm
- + Dual function: this folding step has an integrated suspension device for hatches (length 1.5 x 2.0 m) to create a large working area
- + Due to the nearly vertical support part it is possible to work closely to the object
- + The wide and sturdy stabiliser is equipped with ant-slip foot caps and integrated transport castors



### Special features:



Easy and quick transportable for back protection



2 handles for safe ascent and descent



Extra large platform for a maximum of safety



Combining two Professional steps with one hatch in between will create a large working base

### Set of hatches: Professional folding steps with:

- hatch 1.50 m x 0.60 m, Article No. 711304
- hatch 2.00 m x 0.60 m, Article No. 911018

Number of steps			3	4	
1	A	up to approx.	in m	2.70	2.95
	B	approx.	in m	0.70	0.95
2	C	approx.	in m	1.35	1.60
	D	approx.	in m	1.30	1.55
Product weight approx.			in kg	9.5	11.3
Width (B) approx.			in m	0.7	0.7
Depth (T) approx.			in m	0.23	0.23
Length (L) approx.			in m	1.40	1.65
Article No.				126078	126085

### Accessories:



Conductive foot end plugs



2



3



6



8





**Pay attention to this label!**

All products marked with this label are already approved after production and will facilitate documentation work.



**Conductive foot plugs (pair)**

- + Resistance < 106  $\Omega$ /m
- + Conforms to DIN EN 13463-1

Side rail dimensions	Article No.
64 x 25	<b>212597</b>
77 x 25	<b>212603</b>
97 x 25	<b>212610</b>



**Conductive foot caps for stabilisers**

- + Resistance < 106  $\Omega$ /m
- + Conforms to DIN EN 13463-1

Side rail dimensions	Article No.
64 x 25	<b>212627</b>



## Combi-Safety accessories (Aluminium)

### Step / Tray


- + Suitable for ladders with rungs for more safety and comfort
- + Usable as a tray for all kind of items when working on rung ladders
- + Can hold up to 150 kg
- + TÜV-approved



Article No.  
122063

### Ladder spikes (Pair)


- + According to the German Statutory Accident Insurance Body ladders used on natural soft ground have to be equipped with spikes
- + Also usable with ladders with stabilisers
- + Suitable for side rails with a width of 64 x 25 mm to 97 x 25 mm
- + TÜV-approved



Article No.  
121400

### Side rail extensions


- + To compensate height differences such as stairs, curbs etc.
- + Infinitely adjustable up to max. 600 mm
- + Suitable for side rails with a width of 64 x 25 mm to 97 x 25 mm
- + TÜV-approved



Article No.  
122292

### Spacer device


- + Usable in areas with difficult access e.g. ledges, overhanging roofs
- + Telescopic supports, extendable up to 600 mm
- + Suitable for side rails with a width of 64 x 25 mm to 97 x 25 mm
- + TÜV-approved



Article No.  
122018

### Stabiliser

- + To compensate height differences up to 17 cm on stairs/ledges etc.
- + Suitable for side rails with a width of 64 x 25 mm to 97 x 25 mm
- + TÜV-approved



Article No.  
121417

### Cross Rail levellers

- + To compensate height differences when using stabilisers on stairs, ledges or uneven ground and for a maximum of stability (extension range up to 230 mm)
- + Suitable for all ladders with stabilisers
- + TÜV-approved



Weight kg  
1.3

Article No.  
122285

### MultiBoard

- + To be used in combination with multi-purpose hinged ladders to create a working platform or a placement area
- + Anti-slip and waterproof working platform suitable for a max. load of 150 kg



Article No.  
122261

### Wall Holder Set

- + For safe and space-saving storage of ladders with rungs
- + Lockable (Lock not included)
- + Internal dimensions: 270 x 150 mm



Article No.  
122469